



14.5m X **4.5m**, **3** BEDROOM POD

\$198,990 inc GST

POD:1445-P13

Perfect for families seeking a spacious and well-designed living environment, this three-bedroom Pod features an open-plan layout that maximizes space and comfort. The central kitchen, is the heart of the home. While the 3 bedrooms all come with generous built in storage. Renders feature additional window option.



SPECIFICATIONS: 14.5m X 4.5m, 3 BEDROOM POD

External Dimensions	14.5m x 4.5m				
Footprint	65m2				
Exterior Cladding	Colorsteel Maxx				
Glazing	Double				
Ranch Slider (with opening sash windows)	✓				
Power	32A Junction Box				
Insulation Values	Roof 7.5, Wall 2.1, Floor 3.3 (exceeds NZ Building Code)				
Flooring	Wide Plank Vinyl 2.5mm				
Lighting	LED				
Internal Lights	12				
External Lights	1				
Double Power Points	13				
Single Power Points	Optional				
USB	Optional				
External Timber Screen	✓				
Internal Timber Panels	Optional				

Benchtop	Laminate (Engineered stone option)				
Blinds	Optional				
Washing Machine Connection	✓				
Electrical Code of Compliance Certificate	✓				
Gas Code of Compliance Certificate	✓				
Shower	✓				
Bathroom Vanity	✓				
Bathroom Extractor Fan	✓				
Mirrored Storage Cabinet	✓				
Wardrobe in Master Bedroom	✓				
Electric Hob	✓				
Ducted Rangehood	✓				
Smoke Alarm	✓				
Pod Code of Compliance Certificate	✓				
16L Rinnai Gas Califont	~				




FRONT & INTERIOR VIEW: 14.5m x 4.5m, 3 BEDROOM POD







FLOORPLAN: 14.5m x 4.5m, 3 BEDROOM POD



NOTES:	ELECTRICAL KEY:		ድ	External Wall light		WINDOW CODES:	
Risk Group - SH NZBC C1/AS1 Applies. In general all construction to comply with the			(5)	Smoke alarm		FR.	Frosted / Obscure glass
NZ Building code and all relevant NZ/A standards whether detailed on the plans or not.	8	Light switch	=	Distribution Board		Tgh.	Toughened glass.
PODLIFE SPECIFICATIONS:	DIM ^	Dimmer Light Switch	Γ	Caravan plug - in	2.3m high	AW.	Awning
SMOKE ALARMS: Smoke alarms to be fitted in accordance with NZBC F7/AS1 and NZ4514.	2 √ 1E = 1.5m	Double plug		Junction box - in	0.3m high	R/S.	Ranch slider
FLECTRICAL:	TE = 1.5m 	Externally rated dble plug 1.5m high					
IPX4 (min) rated caravan plugs pre-installed into PODs by Certified Electrician. PODs shall be shipped with electrical certification.	0	Ceiling mounted LED light	W/M	Washing machine taps (install double waste)		(All wind	lows to be double glazed)

